HVAC/Gas Plan Approval Application Logan County Building Authority

Owner	Address	Phone	No		Phone No
		() E-mai		()
Contractor/DBA	Address	E-mai	Phone N	Jo.	Cell Phone No
OGINACIONELIA	, ludioco	()_		_	()
	HVA	E-mai AC/Gas Line Design			
Equipment Type/ Size	Location of Equipment	Type of Fuel			Loss/Gain – New se only
	_	Drawings Have Bee	* If no, draw	ith Building Pla ings or system elow or with Ap	description must be
Gas line submittals	require schematic de	esigns and details	<u>3.</u>		
	of the property above, I a		***	escribed abo	ve:
the legal owner/agent of Applicant/Owner/Age	of the property above, I a	m performing the H\	/AC work de	escribed abo	
Applicant/Owner/Age Applicant/Owner/Age Eation Fee \$40.00 x 1%	Date ent Date ent ust accompany cation will not be	m performing the H\	/AC work de		ve: Application No

Plan Submittal Form Part B

General instructions

- The plan submittal form must be filled out completely. If this form is not completed accurately and thoroughly the application may be rejected.
- All applications must have a system description or plan included, no exceptions.
- If the HVAC/Gas drawings have been submitted with the building plans, please indicate on the application.
- Per section 106.1 the Residential Building Official may require additional drawings, technical data or documentation in order to verify compliance.
- A registered HVAC contractor with Logan County Building Regulations Department or homeowner must perform HVAC work.
- Homeowner/occupant definition: individual that owns and occupies the dwelling where work is to be performed for at least one year.
- Minimum fee \$85.00 Plus 1% residential 3% commercial State fee

For more information or questions:

Logan County Building Authority 1365 CR 32N Suite 2 Bellefontaine, Ohio 43311 (937) 592-7473 (937) 592-7589 fax Michael Reffitt, CBO

All equipment installed must comply with the International Energy Conservation Code

<u>DISCLAIMER:</u> IT IS THE APPLICANTS RESPONSIBILITY TO KNOW AND UNDERSTAND ALL APPLICABLE CODE REQUIREMENTS.

Revised 3/5/2015